

RCA REVIEW

a technical journal

INDEX

VOLUME XXVII

TABLE OF CONTENTS

| | March | PAGE |
|---|--|------|
| The TIROS IX Wheel Satellite | A. SCHNAPP | 3 |
| Camera Tubes for Recording Stratoscope II Telescope Images | A. D. COPE AND E. LUEDICKE | 41 |
| Vidicon Performance Characteristics at Slow Scan Rates | R. E. JOHNSON | 57 |
| Monolithic Ferrite Memories | I. ABEYTA, M. M. KAUFMAN, AND P. LAWRENCE | 77 |
| The Acoustoelectric Effects and the Energy Losses by Hot Electrons— Part I | A. ROSE | 98 |
| Adsorption-Type Reservoir for Gas Tubes | K. G. HERNQVIST AND J. D. LEVINE | 140 |
| Solar-Pumped Modulated Laser | C. W. RENO | 149 |
| Low-Power Long-Range Digital Communications System | J. G. ARNOLD, D. M. CHAUVIN, J. C. JOHNSON, AND J. K. OLIVER, JR. | 158 |
| | June | |
| Multiple-Access Considerations for Communication Satellites | F. ASSADOURIAN AND D. L. JACOBY | 179 |
| Microwave Power Generation Using Overlay Transistors | H. C. LEE | 199 |
| The Langmuir Current Limit for Differing Axial and Radial Electron- Beam Temperatures in High-Resolution Image Devices | J. LURIE | 216 |
| Demodulator Threshold Performance and Error Rates in Angle- Modulated Digital Signals | J. KLAPPER | 226 |
| | 652 | |

RCA REVIEW

a technical journal

INDEX

VOLUME XXVII

TABLE OF CONTENTS

| | March | PAGE |
|---|--|------|
| The TIROS IX Wheel Satellite | A. SCHNAPP | 3 |
| Camera Tubes for Recording Stratoscope II Telescope Images | A. D. COPE AND E. LUEDICKE | 41 |
| Vidicon Performance Characteristics at Slow Scan Rates | R. E. JOHNSON | 57 |
| Monolithic Ferrite Memories | I. ABEYTA, M. M. KAUFMAN, AND P. LAWRENCE | 77 |
| The Acoustoelectric Effects and the Energy Losses by Hot Electrons— Part I | A. ROSE | 98 |
| Adsorption-Type Reservoir for Gas Tubes | K. G. HERNQVIST AND J. D. LEVINE | 140 |
| Solar-Pumped Modulated Laser | C. W. RENO | 149 |
| Low-Power Long-Range Digital Communications System | J. G. ARNOLD, D. M. CHAUVIN, J. C. JOHNSON, AND J. K. OLIVER, JR. | 158 |
| | June | |
| Multiple-Access Considerations for Communication Satellites | F. ASSADOURIAN AND D. L. JACOBY | 179 |
| Microwave Power Generation Using Overlay Transistors | H. C. LEE | 199 |
| The Langmuir Current Limit for Differing Axial and Radial Electron- Beam Temperatures in High-Resolution Image Devices | J. LURIE | 216 |
| Demodulator Threshold Performance and Error Rates in Angle- Modulated Digital Signals | J. KLAPPER | 226 |
| | 652 | |

INDEX

653

| | PAGE |
|--|------|
| The Generalized Transfer Function and Pole-Zero Migrations in Switched Networks | 245 |
| A. ACAMPORA | |
| Microwave Generation from Photoconductive Mixing of Amplified Spontaneous Radiation | 263 |
| M. C. STEELE | |
| Analysis of Noncoherent FSK Systems with Large Ratios of Fre- quency Uncertainties to Information Rates | 272 |
| A. B. GLENN | |
| September | |
| Gallium-Arsenide Electro-Optic Modulators | 323 |
| T. E. WALSH | |
| Avalanche and Tunneling Currents in Gallium Arsenide | 336 |
| R. WILLIAMS | |
| Automatic Display of MIS Capacitance Versus Bias Characteristics. | 341 |
| K. H. ZAININGER | |
| Vidicon Performance in Extreme Thermal Environments | 360 |
| R. E. JOHNSON | |
| Measurements on the Properties of Microstrip Transmission Lines for Microwave Integrated Circuits | 377 |
| M. CAULTON, J. J. HUGHES, AND H. SOBOL | |
| Efficient Sequential Detection in the Presence of Strong Localized Signal Interference | 392 |
| H. M. FINN AND R. S. JOHNSON | |
| Response of Low-Power Nuvistors to Pulsed Nuclear Radiation | 408 |
| I. F. STACY AND F. J. FEYDER | |
| Analysis of Multiple-Signal FM Detection System | 425 |
| T. MURAKAMI | |
| December | |
| The Hologram—Properties and Applications | 467 |
| E. G. RAMBERG | |
| Analysis of Parametric Action in Back-Biased P-N Junctions Carry- ing Injected Current | 500 |
| F. STERZER | |
| Threshold Performance of Analog FM Demodulators | 521 |
| J. FRANKLE | |
| The Frequency Modulation Feedback System for the Lunar-Orbiter Demodulator | 563 |
| F. LEFRAK, H. MOORE, A. NEWTON, AND L. OZOLINS | |
| Use of Phase Subtraction to Extend the Range of a Phase-Locked Demodulator | 577 |
| A. ACAMPORA AND A. NEWTON | |

| | |
|--|-----|
| The Acoustoelectric Effects and the Energy Losses by Hot Electrons— Part II | 600 |
| A. ROSE | |
| Synchronization During Biased PCM Conditions | 632 |
| E. D. BLOEDEL | |

AUTHORS, VOLUME XXVII

| | ISSUE | PAGE |
|--|-------|------|
| Abeyta, I. (Coauthor)—“Monolithic Ferrite Memories” | Mar. | 77 |
| Acampora, A.—“The Generalized Transfer Function and Pole-Zero Migrations in Switched Networks” | June | 245 |
| (Coauthor)—“Use of Phase Subtraction in an Extended Range Phase-Locked Demodulator” | Dec. | 576 |
| Arnold, J. G. (Coauthor)—“Low-Power Long-Range Digital Communications System” | Mar. | 158 |
| Assadourian, F. (Coauthor)—“Multiple-Access Considerations for Communication Satellites” | June | 179 |
| Bloedel, E. D.—“Synchronization During Biased PCM Conditions” | Dec. | 631 |
| Caulton, M. (Coauthor)—“Measurements on the Properties of Microstrip Transmission Lines for Microwave Integrated Circuits” | Sept. | 377 |
| Chauvin, D. M. (Coauthor)—“Low-Power Long-Range Digital Communications System” | Mar. | 158 |
| Cope, A. D. (Coauthor)—“Camera Tubes for Recording Stratoscope II Telescope Images” | Mar. | 41 |
| Feyder, F. J. (Coauthor)—“Response of Low-Power Nuvistors to Pulsed Nuclear Radiation” | Sept. | 408 |
| Finn, H. M. (Coauthor)—“Efficient Sequential Detection in the Presence of Strong Localized Signal Interference” | Sept. | 392 |
| Frankle, J.—“Threshold Performance of Analog FM Demodulators” | Dec. | 521 |
| Glenn, A. B.—“Analysis of Noncoherent FSK Systems with Large Ratios of Frequency Uncertainties to Information Rates” | June | 272 |
| Hernqvist, K. G. (Coauthor)—“Adsorption-Type Reservoir for Gas Tubes” | Mar. | 140 |
| Hughes, J. J. (Coauthor)—“Measurements on the Properties of Microstrip Transmission Lines | Sept. | 377 |
| Jacoby, D. L. (Coauthor)—“Multiple-Access Considerations for Communication Satellites” | June | 179 |
| Johnson, J. C. (Coauthor)—“Low-Power Long-Range Digital Communications System” | Mar. | 158 |
| Johnson, R. E.—“Vidicon Performance Characteristics at Slow Scan Rates” | Mar. | 57 |
| —“Vidicon Performance in Extreme Thermal Environments” | Sept. | 360 |
| Johnson, R. S. (Coauthor)—“Efficient Sequential Detection in the Presence of Strong Localized Signal Interference” | Sept. | 392 |
| Kaufman, M. M. (Coauthor)—“Monolithic Ferrite Memories” | Mar. | 77 |
| Klapper, J.—“Demodulator Threshold Performance and Error Rates in Angle-Modulated Digital Signals” | June | 226 |
| Lawrence, P. (Coauthor)—“Monolithic Ferrite Memories” | Mar. | 77 |
| Lee, H. C.—“Microwave Power Generation Using Overlay Transistors” | June | 199 |
| Lefrak, F. (Coauthor)—“The Frequency Modulation Feedback System for the Lunar-Orbiter Demodulator” | Dec. | 563 |

| ISSUE | PAGE |
|---|-----------|
| Levine, J. D. (Coauthor)—“Adsorption-Type Reservoir for Gas Tubes” | Mar. 140 |
| Luedicke, E. (Coauthor) — “Camera Tubes for Recording Stratoscope II Telescope Images” | Mar. 41 |
| Lurie, J.—“The Langmuir Current Limit for Differing Axial and Radial Electron-Beam Temperatures in High-Resolution Image Devices” | June 216 |
| Moore, H. (Coauthor)—“The Frequency-Modulation Feedback System for the Lunar-Orbiter Demodulator | Dec. 563 |
| Murakami, T.—“Analysis of Multiple-Sign FM Detection System” | Sept. 425 |
| Newton, A. (Coauthor)—“The Frequency Modulation Feedback System for the Lunar-Orbiter Demodulator” | Dec. 563 |
| (Coauthor)—“Use of Phase Subtraction in an Extended-Range Phase-Locked Demodulator” | Dec. 576 |
| Oliver, J. K., Jr. (Coauthor)—“Low-Power Long-Range Digital Communications System” | Mar. 158 |
| Ozolins, L. (Coauthor)—“The Frequency-Modulation Feedback System for the Lunar-Orbiter Demodulator” | Dec. 563 |
| Ramberg, E. G.—“The Hologram—Properties and Applications” | Dec. 467 |
| Reno, C. W.—“Solar-Pumped Modulated Laser” | Mar. 149 |
| Rose, A.—“The Acoustoelectric Effects and the Energy Losses by Hot Electrons—Part I” | Mar. 140 |
| —“The Acoustoelectric Effects and the Energy Losses by Hot Electrons—Part II” | Dec. 599 |
| Schnapf, A.—“The TIROS IX Wheel Satellite” | Mar. 3 |
| Sobol, H. (Coauthor)—“Measurements on the Properties of Microstrip Transmission Lines for Microwave Integrated Circuits” | Sept. 377 |
| Stacy, I. F. (Coauthor)—“Response of Low-Power Nuvistors to Pulsed Nuclear Radiation” | Sept. 408 |
| Steele, M. C.—“Microwave Generation from Photoconductive Mixing of Amplified Spontaneous Radiation” | June 263 |
| Sterzer, F.—“Analysis of Parametric Action in Back-Biased P-N Junctions Carrying Injected Current” | Dec. 500 |
| Walsh, T. E.—“Gallium-Arsenide Electro-Optic Modulators” | Sept. 323 |
| Williams, R.—“Avalanche and Tunneling Currents in Gallium Arsenide” | Sept. 336 |
| Zaininger, K. H.—“Automatic Display of MIS Capacitance Versus Bias Characteristics” | Sept. 341 |